# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S202 | 8 | bean same (automatically near3 (deploy$3 undeploy$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/20 16:54 |
| S203 | 435 | (container EJB) and (automatically near3 (deploy$3 undeploy$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/20 16:55 |
| S204 | 120 | S203 and ((directory container EJB) same (automatically near3 (deploy$3 undeploy$4))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/20 16:56 |
| S205 | 22 | (Smart near3 directory) and @rlad<="20010921" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/20 16:58 |
| S206 | 120 | S203 and S204 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/20 16:57 |
| S207 | 0 | S205 and S204 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/20 16:57 |
| S208 | 12 | (Smart adj3 directory) and @rlad<="20010921" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/20 16:58 |
| S209 | 9049418 | "12" not (smart adj card) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/20 16:58 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S21 0 | 2 | S208 not (smart adj card) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/20 16:59 |
| S21 1 | 0 | (bean BEA) same (smart adj (cache proxy directory repository)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/20 17:00 |
| S21 2 | 9 | (bean BEA) and (smart adj (cache proxy directory repository)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/20 17:02 |
| S21 3 | 3 | (bean BEA) and (smart adj2 deploy$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/20 17:09 |
| S21 4 | 0 | (automatic$5 near9 deployment near4 manager) and (J2EE bean) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/20 17:10 |
| S21 5 | 7 | automatic$5 near9 deploy$4 near4 (admin$6 manager) and (J2EE bean) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/20 17:14 |
| S21 6 | 0 | (daemon near8 automatically near8 redeploy$4) with repository | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/20 17:15 |
| S21 7 | 0 | (daemon near8 automatically near8 redeploy$4) same ( directory repository) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/20 17:15 |
| S21 8 | 0 | ((manager near2 program) near8 automatically near8 redeploy$4) same ( directory repository) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/20 17:15 |
| S21 9 | 0 | ((manager near2 program) near8 automatically near8 redeploy$4) same ( EJB bean application) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/20 17:16 |

| S22 0 | 0 | ((program) near8 automatic$5 near8 redeploy$4) same ( EJB bean application) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/20 17:16 |
|---|---|---|---|---|---|---|
| S22 1 | 4 | ((server proxy) near8 automatic$5 near8 redeploy$4) same ( EJB bean application) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/20 17:16 |
| S22 2 | 10 | websphere and EJB and (deploy$5 same container same automatically) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/21 10:01 |

**Google**

Web   Images   Video   News   Maps   more »

| smart directory Weblogic | | Search | Advanced Search |

Preferences

---

**Web**                    Results **1 - 10** of about **271,000** for **smart directory** Weblogic. (0.25 seconds)

### BEA **WebLogic** Server and **WebLogic** Express 8.1 **Smart** Ticket Demo ...
This patch provides the **WebLogic** Server descriptors that allow you to run the **Smart** Ticket
Demo on **WebLogic** Server. Extract this ZIP file into the **directory** ...
edocs.bea.com/wls/docs81/**smart**icket/**smart**icket.html - 22k - Cached - Similar pages

### Preparing to Install **WebLogic** Server
If you choose to create a new **directory**, the **WebLogic** Server installation ... For details
about using **Smart** Update, see Installing **WebLogic** Server Service ...
edocs.bea.com/wls/docs70/install/instpre.html - 60k - Cached - Similar pages
[ More results from edocs.bea.com ]

### [PDF] **SMART** Plug-In for **WebLogic** Server
File Format: PDF/Adobe Acrobat - View as HTML
HP OpenView **SMART** Plug-Ins for **WebLogic** Server: User's Guide ... is the **WebLogic**
home (WL_HOME) **directory** specified when the **WebLogic** SPI is configured. ...
ovweb.external.hp.com/ovnsmdps/pdf/b9145-88000.pdf - Similar pages

### [PDF] **SMART** Plug-Ins for Databases A.03.40 Release Notes
File Format: PDF/Adobe Acrobat - View as HTML
The **SMART** Plug-In for **WebLogic** Server adds the following capabilities to HP ... is the
**WebLogic** home (WL_HOME) **directory** specified when the **WebLogic** SPI is ...
docs.hp.com/en/B9145-88000/B9145-88000.pdf - Similar pages

### Guide to Upgrading **WebLogic** Platform 8.1 SP2 to SP3
**Smart** Update allows you to install a service pack for the **WebLogic** Platform 8.1 software
currently installed in an existing BEA Home **directory**. ...
dev2dev.bea.com/pub/a/2004/10/evalguide_upgrade_readme.html - 44k -
Cached - Similar pages

### Distributing **WebLogic** Server
Open a command shell and go to the server/bin **directory** for **WebLogic** Server. ... Your
customers can then install these patches by running **Smart** Update, ...
e-docs.bea.com/common/docs92/isv/distrib.html - 45k - Cached - Similar pages

### Uninstalling **WebLogic** Platform
Uninstalling **WebLogic** Platform does not remove the BEA Home **directory** associated with
the ... See Uninstalling Maintenance Upgrades Using **Smart** Update for ...
e-docs.bea.com/platform/docs81/install/uninstal.html - 56k - Cached - Similar pages
[ More results from e-docs.bea.com ]

### Packaged applications - HP OpenView **Smart** Plug-ins
HP OpenView **Smart** Plug-ins (SPIs) are fully integrated, out-of-the-box solutions ...
processes that are defined and executed using BEA **WebLogic** Integration. ...
www.managementsoftware.hp.com/products/spi/index.html - 52k - Cached - Similar pages

### [PDF] BEA **WebLogic** Components Hands-On Technical Tour
File Format: PDF/Adobe Acrobat - View as HTML
the src\examples\buybeans\tour **directory** under the **WebLogic** Components. installation
**directory**. This file is one of several generated by the BEA **Smart** ...
edocs.beasys.com/wlac/pdf/comptour.pdf - Similar pages

[PDF] **\*5990-5494\***
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
HP OpenView **Smart** Plug-in for Microsoft Active **Directory** version B.02.00. •. HP
OpenView **Smart** Plug-in for BEA **WebLogic** Server version B.02.05 **...**
www.hp.com/softwarereleases/releases-media2/discon/5990-5494.pdf - <u>Similar pages</u>

Result Page:    **1**  <u>2</u>  <u>3</u>  <u>4</u>  <u>5</u>  <u>6</u>  <u>7</u>  <u>8</u>  <u>9</u> <u>10</u>    **<u>Next</u>**

Try <u>Google Desktop</u>: search your computer as easily as you search the web.

| smart directory Weblogic | | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2006 Google

<u>Google</u>

Web   Images   Video   News   Maps   **more »**

smart directory Weblogic automatically deploy   Search   Advanced Search / Preferences

---

**Web**     Results **1 - 10** of about **63,100** for <u>smart</u> <u>directory</u> Weblogic <u>automatically</u> <u>deploy</u>. (0.31 seconds)

### BEA WebLogic Server and WebLogic Express 8.1 Smart Ticket Demo ...
The instructions below describe how to download **Smart** Ticket and J2ME, how to create a
**WebLogic** Server domain for **Smart** Ticket, and how to build and **deploy** ...
edocs.bea.com/wls/docs81/**smart**icket/**smart**icket.html - 22k - Cached - Similar pages

### Preparing to Install WebLogic Platform
If you choose to create a new **directory**, the **WebLogic** Platform installation program
**automatically** creates the **directory** for you. ...
edocs.bea.com/platform/docs81/install/prepare.html - 99k - Cached - Similar pages
[ More results from edocs.bea.com ]

### smart-ticket: Default Project Content
Step 4: Build and **Deploy Smart** Ticket. Step 5: Use **Smart** Ticket ... run the **Smart** Ticket
Demo on **WebLogic** Server. Extract this ZIP file into the **directory** ...
https://**smart**-ticket.projects.dev2dev.bea.com/ - 44k - Cached - Similar pages

### Post-Installation Information
This domain allows you to run pre-built **WebLogic** Server code samples, **deploy** J2EE
applications, and quickly serve JSPs or HTML pages. ...
e-docs.bea.com/common/docs92/install/postins.html - 38k - Cached - Similar pages

### [PDF] SMART Plug-In for WebLogic Server
File Format: PDF/Adobe Acrobat - View as HTML
messages, **automatic** actions, or operator actions, wherever appropriate. ... is the
**WebLogic** home (WL_HOME) **directory** specified when the **WebLogic** SPI is ...
ovweb.external.hp.com/ovnsmdps/pdf/b9145-88000.pdf - Similar pages

### Out with the Old, In with the New: Porting to WebLogic Server 7.0
**Smart** compilation is a new feature of the **weblogic**.ejbc utility in **WebLogic** Server 7.0. ...
**deploy**, or run the ported Java **Smart** Ticket application. ...
dev2dev.bea.com/pub/a/2002/07/439.html - 50k - Cached - Similar pages

### BEA WebLogic Workshop reviewed by PC Magazine
Integration with the server is tight, and you can **automatically deploy**, test, and debug
Web ... Keep files within the same **directory** on the same DVD or CD. ...
www.pcmag.com/article2/0,1759,587899,00.asp - 113k - Cached - Similar pages

### Automatically Installing Applications After a Cold Boot ...
CAB files placed in the application **directory** will be **automatically** run on a hard reset
but ... **Smart** Client Application Development Using PowerBuilder 11.0 ...
pbdj.sys-con.com/read/195262.htm - 75k - Cached - Similar pages

### [PDF] BEA WebLogic Server Clustering White Paper
File Format: PDF/Adobe Acrobat - View as HTML
**WebLogic automatically** multiplexes a single client connection across ... servers, BEA
**WebLogic** does not require that the user **deploy** a particular Web server ...
eudownload.bea.com/fr/actualites/clustering.pdf - Similar pages

### ACM Queue Developer Tools Directory
New features include the ability to **deploy** Tcl applications such as starkits and ... including

**WebLogic** 9, WebSphere, JBoss, and more, makes web application ...
acmqueue.com/devtools.php?cat_id=6 - 33k - Cached - Similar pages

### Google Groups results for smart directory Weblogic automatically deploy

Why ebjc? - weblogic.developer.interest.ej ... - Jul 2, 2001
Faulkner Systems Flash 03/01/2000 - (Part 1 of 2) - cmu.ece.general - Mar 2, 2000
System News for Sun Users Vol 42 Issue 4: August 27 ... - alt.sys.sun - Sep 1, 2001


Result Page:     **1** 2 3 4 5 6 7 8 9 10    **Next**


Try Google Desktop: search your computer as easily as you search the web.

---

[smart directory Weblogic automatica]  [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

**Google**

Web   Images   Video   News   Maps   more »

directory Weblogic automatically undeploy sm    Search    Advanced Search
                                                          Preferences

---

**Web**      Results **1 - 10** of about **334** for <u>directory</u> Weblogic <u>automatically</u> undeploy <u>smart</u>. **(0.35** seconds)

Upgrading **WebLogic** Integration 8.1 SP3 or SP4 to **WebLogic ...**
For example, on Windows if you installed **WebLogic** Integration 8.1 SP4 in the c:/bea
**directory** and then used the **Smart** Update to upgrade that installation to ...
edocs.bea.com/wli/docs81/upgrade/roadmap.html - 55k - Cached - Similar pages

**WebLogic** Server 7.0 Features and Changes
In addition, **WebLogic** Server will use XA to **automatically** enlist the ... See the BEA Home
**Directory** section in the **WebLogic** Server Installation Guide for ...
edocs.bea.com/wls/docs70/notes/new.html - 126k - Cached - Similar pages
[ More results from edocs.bea.com ]

[PDF] HP OpenView **Smart** Plug-ins brochure Solutions for application ...
File Format: PDF/Adobe Acrobat - View as HTML
obtained by purchasing either the **Smart** Plug-in for the BEA **WebLogic ... Automatically**
creates and tracks Remedy Action Requests from HP OpenView ...
www.managementsoftware.hp.com/products/spi/pb/spi_pb_solutions.pdf - Similar pages

[PDF] Products
File Format: PDF/Adobe Acrobat - View as HTML
When upgrading your domain, **undeploy** all 8.1 **WebLogic** Portal and **WebLogic**
Workshop ... refers to the top-level installation **directory** for **WebLogic** Server). ...
e-docs.bea.com/common/docs92/pdf/upgrade.pdf - Similar pages

Strategies for **WebLogic** Domain Configuration @ **WEBLOGIC** JOURNAL
**WebLogic** Server installation also includes Ant. Ant is **automatically** set up when ... The
wldeploy Ant task is used to deploy and **undeploy** the application. ...
**weblogic**.sys-con.com/read/48221.htm - 89k - Cached - Similar pages

[PDF] **WebLogic** Platform
File Format: PDF/Adobe Acrobat - View as HTML
Understanding the **WebLogic** Platform Product **Directory** Structure. ... java
**weblogic**.deploy [list|deploy|**undeploy**|update]. password {application} {source} ...
cgi.bea.com/platform/docs70/pdf/install.pdf - Supplemental Result - Similar pages

JAVA-ACCESS archives -- May 2004 (#12)
**Directory** view project node with project - aware file support . ... Code formatting **Smart**
**automatic** code formatting . . . Set indenting . ...
archives.java.sun.com/cgi-bin/wa?A2=ind0405&L=java-access&D=1&P=1321 - 70k -
Supplemental Result - Cached - Similar pages

Pramati Server 3.5 Release Notes
Migration utility for **WebLogic** 6.1, 7.0 archives now available inside Deploy Tool. ...
Applications **undeploy automatically** when their virtual host is either ...
www.pramati.com/docstore/1210007/psv35relnotes.htm - 40k - Cached - Similar pages

Eclipse plugin development tools for Java, JSP, XML, Struts, HTML ...
Ability to edit any JSP file regardless of **directory** location ... project can be configured to be
**automatically** packaged for deployment of the web project ...
myeclipseide.com/modules.php?op=modload&name=News&file=index&catid=1 - 155k -
Supplemental Result - Cached - Similar pages

[PDF] Solutions brochure_FNL.qxd
File Format: PDF/Adobe Acrobat - View as HTML
**Automatic** association of Tuxedo system error manual to user logs. • Management for all
applications built on top of BEA **WebLogic** via JMX. interface ...
h41111.www4.hp.com/management/uk/en/dataSheets/bam/ALL_OpenView_SPIs.pdf -
Similar pages

Result Page:      **1** 2 3 4 5 6 7 8 9 10      **Next**

Try Google Desktop: search your computer as easily as you search the web.

directory Weblogic automatically und   | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

**Google**

Web    Images    Video    News    Maps    **more »**

| EJB container automatically undeploy smart | Search |   Advanced Search
Preferences

---

**Web**          Results **1 - 10** of about **368** for **EJB container automatically undeploy smart**. **(0.45** seconds)

[PDF] **Automatic Failure-Path Inference: A Generic Introspection ...**
File Format: PDF/Adobe Acrobat - View as HTML
Third, we modified the **EJB container** so that, when. an exception is thrown by an **EJB**, ...
ure, for example, restarting the database and **undeploy**- ...
swig.stanford.edu/~candea/papers/afpi/afpi.pdf - Similar pages

**Pramati Server 3.5 Release Notes**
**EJB Container**. Total RMI threads inside the server VM can be controlled now. ...
Applications **undeploy automatically** when their virtual host is either ...
www.pramati.com/docstore/1210007/psv35relnotes.htm - 40k - Cached - Similar pages

**Application Server 4**
Support for **automatic** discovery of the nearest **Smart** Agent by **EJB containers**. x.
Support for **automatic** discovery of the nearest **Smart** Agent by **EJB** client ...
www.consist.it/appserv4.htm - 153k - Cached - Similar pages

**Intelligent Enterprise Magazine - Product Review**
FIGURE 2 WebSphere lets you completely customize **EJB containers** from the ... You can
also use this window to **undeploy** or redeploy previously deployed jar ...
www.intelligententerprise.com/db_area/archives/1999/990308/products.jhtml - 26k -
Cached - Similar pages

**EJB performance tips**
24/7 availability needs the ability to hot-deploy and **undeploy** new applications and ... Using
the underlying **EJB container** to manage complex aspects such as ...
www.javaperformancetuning.com/tips/j2ee_**ejb**.shtml - 62k - Cached - Similar pages

**JAVA-ACCESS archives -- May 2004 (#12)**
Code formatting **Smart automatic** code formatting . . . Set indenting . ... Local and remote
Hot - Deploy deployment to running **EJB container** . ...
archives.java.sun.com/cgi-bin/wa?A2=ind0405&L=java-access&D=1&P=1321 - 70k -
Supplemental Result - Cached - Similar pages

[PDF] **Borland JBuilder 2006**
File Format: PDF/Adobe Acrobat - View as HTML
Design flaw audits. CODE FORMATTING. **Smart automatic** code formatting ... Local and
remote Hot-Deploy deployment to running **EJB container** ...
www.borland.com/resources/en/pdf/products/jbuilder/jb2006_feature_matrix.pdf -
Similar pages

**ONJava.com -- Clustering with JBoss 3.0**
An example is the list of RMI connections used by clustered **EJB smart** proxies. ... Since
nodes in a JBoss cluster **automatically** discover the existence of ...
www.onjava.com/pub/a/onjava/2002/07/10/jboss.html?page=2 - 29k -
Cached - Similar pages

[PDF] **Release Notes**
File Format: PDF/Adobe Acrobat - View as HTML
The Java™ **Smart** Ticket Sample Application does not work on the Solaris x86 platform. ...
Web **Container**. • **EJB Container**. • **Container**-Managed Persistence ...

192.18.109.11/819-3233/819-3233.pdf - Supplemental Result - Similar pages

### WebLogic Server 7.0 Features and Changes
**EJB** Cache Size Trimming. You can now configure **automatic** trimming of ... the **EJB**
**container** waits before removing an idle stateful session **EJB** from disk. ...
edocs.bea.com/wls/docs70/notes/new.html - 126k - Cached - Similar pages

Result Page:     **1** 2 3 4 5 6 7 8 9 10     **Next**

Try Google Desktop: search your computer as easily as you search the web.

---

EJB container automatically undeplc   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google